



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

FEB 19 1999

Mr. Chong Yoon Tat
Director
Cranberry (M) Sdn. Bhd.
Lot 85, Jalan Portland
Tasek Industrial Estate
31400 Ipoh, Perak Darul Ridzuan
MALAYSIA

Re: K983334
Trade Name: Nitrile Powder-Free Examination Gloves
Regulatory Class: I
Product Code: LZA
Dated: January 15, 1999
Received: January 19, 1999

Dear Mr. Chong Yoon Tat

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Good Manufacturing Practice for Medical Devices: General (GMP) regulation (21 CFR Part 820) and that, through periodic GMP inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of


Page 2 - Mr. Chong Yoon Tat

the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4692. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "<http://www.fda.gov/cdrh/dsmamain.html>".

Sincerely yours,



Timothy A. Ulatowski
Director

Division of Dental, Infection Control,
and General Hospital Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure



CRANBERRY (M) SDN. BHD. (104994 - W)

(A MEMBER OF THE YEE LEE GROUP)

Lot 85, Jalan Portland, Tasek Industrial Estate, 31400 Ipoh, Perak Darul Ridzuan, Malaysia.
Tel: (05) 545 1055 / 546 1055 Fax: (05) 547 3962 / 547 9862 Telex: YLOIL MA 44556

Applicant : CRANBERRY (M) SDN. BHD.
LOT 85, JALAN PORTLAND,
TASEK INDUSTRIAL ESTATE,
31400, IPOH, PERAK, MALAYSIA

510(k) Number (if known): K983334

Device Name: Nitrile Powder Free Examination Glove - Cranberry

Indications For Use:

This product is a patient examination glove. It is a disposable device intended for medical purposes that is worn on the examiner's hand or finger to prevent contamination between patient and examiner.

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE
IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

Chin S. Lin
(Division Sign-Off)
Division of Dental, Infection Control,
and General Hospital Devices
510(k) Number K983334

Prescription Use _____
(Per 21 CFR 801.109)

OR

Over-The-Counter-Use X